Product information

VONDOM Lacquered planter CONO ALTO 40

Art.Nr.: VON3021 / GTIN: 8412524062600 / manufacturer: Vondom









VONDOM

760,50 €

Regular retail price ~~845,00 €~~ (you save 84,50 €)

incl. 19% VAT incl. Shipping

Delivery time: 3 - 5 weeks

Product information

Dimensions / Technical Data:

Dimensions approx.: Ø 40cm, height 80cm

Planting depth approx.: Ø 31cm, depth 32cm

Structure: LLDPE resin. Linear polyethylene, weather-resistant and unbreakable

Surface: High-gloss industrial lacquer finish

Available colors: See color palette

Other features:
Double-walled planter
Suitable for indoor use

Included in the scope of delivery: SELF watering system, with watering of the plants for up to 3 months

VONDOM - Care of Lacquered Products

Lacquered VONDOM products are real eye-catchers! They give surfaces an incomparably high-quality appearance. However, lacquered VONDOM products are only suitable for outdoor use to a limited extent. In regions with large temperature fluctuations, the base material (polyethylene) can expand or contract minimally under thermal stress. This could lead to fine hairline cracks and ultimately to paint chipping. If you still want to use lacquered products outdoors, careful care is essential. Due to their sensitivity, lacquered surfaces should not be cleaned with water pressure. Also avoid using abrasive cleaners or corrosive solutions! Instead, we recommend applying body wax every two to three months to prevent scratches. Please note that damage to the paint surface caused by thermal stress outdoors is not considered a valid reason for complaint and is therefore not covered. However, the statutory warranty remains fully valid for indoor use. Translated with DeepL.com (free version)

VONDOM planters

Material properties:
- Material: LLDPE resin, linear low density polyethylene. UL 94 HB
- Manufacturing process: Rotational molding - rotational molding process
- UV-resistant, factor: UV8, corresponding to 8,000 hours of Florida sunshine
- Extremely temperature resistant (-60 to -80 degrees Celsius)
- Impact resistant
- Lightweight
- 100 % recyclable

Watering system & integrated wheels:
Planters with a self-watering system are usually supplied with integrated wheels up to a size of 60cm. The integrated wheels make it easier to move the planter. The watering system ensures perfect care for your plants. The watering system is designed for indoor use only and is not suitable for outdoor use.

Indoor or outdoor use?
Illuminated planters have an integrated and lockable water drain. This means they can be used both indoors and outdoors. Planters without lighting do not have integrated water drainage. When used outdoors, several holes must be drilled with a drill both in the base of the planting area and in the subsoil on which the planter stands to prevent waterlogging.

Product information



Bewässerungssystem - Watering system - Système d'arrosage - Sistema di irrigazione - Sistema de riego - System nawadniania



Verschließbarer Wasserablauf bei beleuchteten Pflanzgefäßen
Lockable water drainage for illuminated planters
Écoulement d'eau obturable pour les bacs à plantes éclairés
Drenaggio dell'acqua bloccabile per le fioriere illuminate
Drenaje de agua bloqueable para jardineras iluminadas
Zamykany odpływ wody dla podświetlanych donic



Bohrlöcher für unbeleuchtete Pflanzgefäße bei Outdoor-Einsatz
Drill holes for unlit planters for outdoor use
Trous de forage pour les jardinières non éclairées en cas d'utilisation en extérieur
Fori per fioriere non illuminate da esterno
Taladros para jardineras sin iluminación para exteriores
Wiercenie otworów pod niepodświetlane donice do użytku zewnętrznego

available options

Polyethylene lacquered



white 3101



gray 3105



anthracite 3106



black 3102



ecru 3103



tortora 3104

Product information

cream 3117


camel 3120


green 3116


brown 3125


clay 3122


blue 3118


garnet 3113

Care Products


no



Surface Cleaner (+35,00 €)