

Product information

MAWA Wittenberg 4.0 - LED recessed spotlight ZOOM - square - 1-flame - semi-flush

Art.Nr.: MAW700 / manufacturer: [Mawa Design](#)




382,50 €

Regular retail price 425,00-€ (you save 42,50 €)

incl. 19% VAT incl. Shipping

■ Delivery time: 3 - 5 weeks

Product information



Dimensions / Technical Data:

Approx. dimensions: 12.3 x 12.3 cm, height 9.3 cm, ceiling cut-out 12.5 x 12.5 cm, installation depth at least 10.7 cm

Installation: For plastering into drywall ceilings

Light source: LED 12.7 watt, Ra > 95, service life > 61000 hours / dim2warm LED 12 watt, service life > 50000 hours

Optional color temperature:

2700 Kelvin warm white - 930 lumen

3000 Kelvin bright warm white - 980 lumen

4000 Kelvin neutral white - 1100 lumen

1800 - 3000 Kelvin dim2warm, - 1045 lumen

Beam angle: 20° - 50°

Material: powder-coated aluminum

Control optional:

Without converter (2700 - 3000 - 4000 Kelvin): No operation possible without converter! Purchase via electrician (3-core power cable)

Phase on & off dimmable (2700 - 3000 - 4000 Kelvin): 3-core power cable

DALI dimmable (2700 - 3000 - 4000 Kelvin): For 4- or 5-core power cable (control cable) required!

Casambi-Bluetooth dimmable (2700 - 3000 - 4000 Kelvin): Light control via app (3-wire power cable).

dim2warm DALI dimmable (1800-3000 Kelvin): For 4- or 5-core power cable (control cable) required!

dim2warm Casambi-Bluetooth dimmable 1800-3000 Kelvin): Light control via app (3-core power cable).

Optional color: See color selection

Product information

Special feature: Spotlight can be rotated 365° and swiveled 90

Available accessories: Heat sink: Black as standard. White oxide ceramic coating on request

Design: Jan Dinnebier & MAWA

Product description

The Wittenberg 4.0 Zoom luminaires extend the well-known MAWA series with a precise solution for variable accent and area lighting. They are perfect for living spaces, offices, galleries, exhibitions and retail, wherever light needs to be used in a targeted manner.

By turning the focusing ring, the beam angle can be continuously adjusted between 20° and 50° - ideal for optimally highlighting objects of different sizes and shapes. This creates an exceptionally wide range of applications, from pinpoint accentuation to uniform room lighting - always with the highest quality of light and energy efficiency.

The light head impresses with a large, well glare-free light emission surface and can be swiveled 90° and rotated 365°, making alignment to the ceiling, wall or object particularly easy and flexible.

The surface is powder-coated in matt white (RAL 9016) or matt black (RAL 9005) as standard. On request, MAWA can produce customized solutions.

Please note:
A separate control gear is required to operate the luminaire. This is not included as standard, but can be added as an option in the configuration menu.

All About Your Purchase

Personal Offers Instead of Price Wars

Questions? Here Are the Answers.

Shipping the Way It Should Be

Bonus Program

Current Deals %

Our Showroom in Rüsselsheim


Real Projects, Real Quality

Materials, Care & Accessories

available options

Connection

Product information

 Without converter	 Phases dimmable on/off (+33,00 €)	 Dali dimmable (+65,00 €)	 Casambi Bluetooth dimmable (+135,00 €)	 dim2warm DALI dimmable (+120,00 €)	 dim2warm Bluetooth dimmable (+195,00 €)
---	---	--	--	---	--

MAWA Color

 RAL 9016 white matt	 RAL 9005 black matt
--	--

Heat sink

Product information




black




white (+50,00 €)


Kelvin



2700



3000



4000