

Product information

UHLMANN Typ T parasol square 4 x 4 meters

Art.Nr.: UN58 / manufacturer: [Uhlmann](#)



3.676,50 €


Regular retail price ~~3.870,00 €~~ (you save 193,50 €)

incl. 19% VAT incl. Shipping

- Delivery time: 3 - 4 weeks



Age	Sex	Height	Weight	Hand length	Hand breadth	Hand volume	Hand surface
16.5	F	1.58	38.0	18.0	10.0	140	36
17.0	F	1.61	39.0	18.0	10.0	140	36
17.5	F	1.64	40.0	18.0	10.0	140	36
18.0	F	1.67	41.0	18.0	10.0	140	36
18.5	F	1.70	42.0	18.0	10.0	140	36
19.0	F	1.73	43.0	18.0	10.0	140	36
19.5	F	1.76	44.0	18.0	10.0	140	36
20.0	F	1.79	45.0	18.0	10.0	140	36
20.5	F	1.82	46.0	18.0	10.0	140	36
21.0	F	1.85	47.0	18.0	10.0	140	36
21.5	F	1.88	48.0	18.0	10.0	140	36
22.0	F	1.91	49.0	18.0	10.0	140	36
22.5	F	1.94	50.0	18.0	10.0	140	36
23.0	F	1.97	51.0	18.0	10.0	140	36
23.5	F	2.00	52.0	18.0	10.0	140	36
24.0	F	2.03	53.0	18.0	10.0	140	36
24.5	F	2.06	54.0	18.0	10.0	140	36
25.0	F	2.09	55.0	18.0	10.0	140	36
25.5	F	2.12	56.0	18.0	10.0	140	36
26.0	F	2.15	57.0	18.0	10.0	140	36
26.5	F	2.18	58.0	18.0	10.0	140	36
27.0	F	2.21	59.0	18.0	10.0	140	36
27.5	F	2.24	60.0	18.0	10.0	140	36
28.0	F	2.27	61.0	18.0	10.0	140	36
28.5	F	2.30	62.0	18.0	10.0	140	36
29.0	F	2.33	63.0	18.0	10.0	140	36
29.5	F	2.36	64.0	18.0	10.0	140	36
30.0	F	2.39	65.0	18.0	10.0	140	36
30.5	F	2.42	66.0	18.0	10.0	140	36
31.0	F	2.45	67.0	18.0	10.0	140	36
31.5	F	2.48	68.0	18.0	10.0	140	36
32.0	F	2.51	69.0	18.0	10.0	140	36
32.5	F	2.54	70.0	18.0	10.0	140	36
33.0	F	2.57	71.0	18.0	10.0	140	36
33.5	F	2.60	72.0	18.0	10.0	140	36
34.0	F	2.63	73.0	18.0	10.0	140	36
34.5	F	2.66	74.0	18.0	10.0	140	36
35.0	F	2.69	75.0	18.0	10.0	140	36
35.5	F	2.72	76.0	18.0	10.0	140	36
36.0	F	2.75	77.0	18.0	10.0	140	36
36.5	F	2.78	78.0	18.0	10.0	140	36
37.0	F	2.81	79.0	18.0	10.0	140	36
37.5	F	2.84	80.0	18.0	10.0	140	36
38.0	F	2.87	81.0	18.0	10.0	140	36
38.5	F	2.90	82.0	18.0	10.0	140	36
39.0	F	2.93	83.0	18.0	10.0	140	36
39.5	F	2.96	84.0	18.0	10.0	140	36
40.0	F	2.99	85.0	18.0	10.0	140	36
40.5	F	3.02	86.0	18.0	10.0	140	36
41.0	F	3.05	87.0	18.0	10.0	140	36
41.5	F	3.08	88.0	18.0	10.0	140	36
42.0	F	3.11	89.0	18.0	10.0	140	36
42.5	F	3.14	90.0	18.0	10.0	140	36
43.0	F	3.17	91.0	18.0	10.0	140	36
43.5	F	3.20	92.0	18.0	10.0	140	36
44.0	F	3.23	93.0	18.0	10.0	140	36
44.5	F	3.26	94.0	18.0	10.0	140	36
45.0	F	3.29	95.0	18.0	10.0	140	36
45.5	F	3.32	96.0	18.0	10.0	140	36
46.0	F	3.35	97.0	18.0	10.0	140	36
46.5	F	3.38	98.0	18.0	10.0	140	36
47.0	F	3.41	99.0	18.0	10.0	140	36
47.5	F	3.44	100.0	18.0	10.0	140	36
48.0	F	3.47	101.0	18.0	10.0	140	36
48.5	F	3.50	102.0	18.0	10.0	140	36
49.0	F	3.53	103.0	18.0	10.0	140	36
49.5	F	3.56	104.0	18.0	10.0	140	36
50.0	F	3.59	105.0	18.0	10.0	140	36
50.5	F	3.62	106.0	18.0	10.0	140	36
51.0	F	3.65	107.0	18.0	10.0	140	36
51.5	F	3.68	108.0	18.0	10.0	140	36
52.0	F	3.71	109.0	18.0	10.0	140	36
52.5	F	3.74	110.0	18.0	10.0	140	36
53.0	F	3.77	111.0	18.0	10.0	140	36
53.5	F	3.80	112.0	18.0	10.0	140	36
54.0	F	3.83	113.0	18.0	10.0	140	36
54.5	F	3.86	114.0	18.0	10.0	140	36
55.0	F	3.89	115.0	18.0	10.0	140	36
55.5	F	3.92	116.0	18.0	10.0	140	36
56.0	F	3.95	117.0	18.0	10.0	140	36
56.5	F	3.98	118.0	18.0	10.0	140	36
57.0	F	4.01	119.0	18.0	10.0	140	36
57.5	F	4.04	120.0	18.0	10.0	140	36
58.0	F	4.07	121.0	18.0	10.0	140	36
58.5	F	4.10	122.0	18.0	10.0	140	36
59.0	F	4.13	123.0	18.0	10.0	140	36
59.5	F	4.16	124.0	18.0	10.0	140	36
60.0	F	4.19	125.0	18.0	10.0	140	36
60.5	F	4.22	126.0	18.0	10.0	140	36
61.0	F	4.25	127.0	18.0	10.0	140	36
61.5	F	4.28	128.0	18.0	10.0	140	36
62.0	F	4.31	129.0	18.0	10.0	140	36
62.5	F	4.34	130.0	18.0	10.0	140	36
63.0	F	4.37	131.0	18.0	10.0	140	36
63.5	F	4.40	132.0	18.0	10.0	140	36
64.0	F	4.43	133.0	18.0	10.0	140	36
64.5	F	4.46	134.0	18.0	10.0	140	36
65.0	F	4.49	135.0	18.0	10.0	140	36
65.5	F	4.52	136.0	18.0	10.0	140	36
66.0	F	4.55	137.0	18.0	10.0	140	36
66.5	F	4.58	138.0	18.0	10.0	140	36
67.0	F	4.61	139.0	18.0	10.0	140	36
67.5	F	4.64	140.0	18.0	10.0	140	36
68.0	F	4.67	141.0	18.0	10.0	140	36
68.5	F	4.70	142.0	18.0	10.0	140	36
69.0	F	4.73	143.0	18.0	10.0	140	36
69.5	F	4.76	144.0	18.0	10.0	140	36
70.0	F	4.79	145.0	18.0	10.0	140	36
70.5	F	4.82	146.0	18.0	10.0	140	36
71.0	F	4.85	147.0	18.0	10.0	140	36
71.5	F	4.88	148.0	18.0	10.0	140	36
72.0	F	4.91	149.0	18.0	10.0	140	36
72.5	F	4.94	150.0	18.0	10.0	140	36
73.0	F	4.97	151.0	18.0	10.0	140	36
73.5	F	5.00	152.0	18.0	10.0	140	36
74.0	F	5.03	153.0	18.0	10.0	140	36
74.5	F	5.06	154.0	18.0	10.0	140	36
75.0	F	5.09	155.0	18.0	10.0	140	36
75.5	F	5.12	156.0	18.0	10.0	140	36
76.0	F	5.15	157.0	18.0	10.0	140	36
76.5	F	5.18	158.0	18.0	10.0	140	36
77.0	F	5.21	159.0	18.0	10.0	140	36
77.5	F	5.24	160.0	18.0	10.0	140	36
78.0	F	5.27	161.0	18.0	10.0	140	36
78.5	F	5.30	162.0	18.0	10.0	140	36
79.0	F	5.33	163.0	18.0	10.0	140	36
79.5	F	5.36	164.0	18.0	10.0	140	36
80.0	F	5.39	165.0	18.0	10.0	140	36
80.5	F	5.42	166.0	18.0	10.0	140	36
81.0	F	5.45	167.0	18.0	10.0	140	36
81.5	F	5.48	168.0	18.0	10.0	140	36
82.0	F	5.51	169.0	18.0	10.0	140	36
82.5	F	5.54	170.0	18.0	10.0	140	36
83.0	F	5.57	171.0	18.0	10.0	140	36
83.5	F	5.60	172.0	18.0	10.0	140	36
84.0	F	5.63	173.0	18.0	10.0	140	36
84.5	F	5.66	174.0	18.0	10.0	140	36
85.0	F	5.69	175.0	18.0	10.0	140	36
85.5	F	5.72	176.0	18.0	10.0	140	36
86.0	F	5.75	177.0	18.0	10.0	140	36
86.5	F	5.78	178.0	18.0	10.0	140	36
87.0	F	5.81	179.0	18.0	10.0	140	36
87.5	F	5.84	180.0	18.0	10.0	140	36
88.0	F	5.87	181.0	18.0	10.0	140	36
88.5	F	5.90	182.0	18.0	10.0	140	36
89.0	F	5.93	183.0	18.0	10.0	140	36
89.5	F	5.96	184.0	18.0	10.0	140	36
90.0	F	5.99	185.0	18.0	10.0	140	36
90.5	F	6.02	186.0	18.0	10.0	140	36
91.0	F	6.05	187.0	18.0	10.0	140	36
91.5	F	6.08	188.0	18.0	10.0	140	36
92.0	F	6.11	189.0	18.0	10.0	140	36
92.5	F	6.14	190.0	18.0	10.0	140	36
93.0	F	6.17	191.0	18.0	10.0	140	36
93.5	F	6.20	192.0	18.0	10.0	140	36
94.0	F	6.23	193.0	18.0	10.0	140	36
94.5	F	6.26	194.0	18.0	10.0	140	36
95.0	F	6.29	195.0	18.0	10.0	140	36
95.5	F	6.32	196.0	18.0	10.0	140	36
96.0	F	6.35	197.0	18.0	10.0	140	36
96.5	F	6.38	198.0	18.0	10.0	140	36
97.0	F	6.41	199.0	18.0	10.0	140	36
97.5	F	6.44	200.0	18.0	10.0	140	36
98.0	F	6.47	201.0	18.0	10.0	140	36
98.5	F	6.50	202.0	18.0	10.0	140	36
99.0	F	6.53	203.0	18.0	10.0	140	36
99.5	F	6.56	204.0	18.0	10.0	140	36
100.0	F	6.59	205.0	18.0	10.0	140	36
100.5	F	6.62	206.0	18.0	10.0	140	36
101.0	F	6.65	207.0	18.0	10.0	140	36
101.5	F	6.68	208.0	18.0	10.0	140	36
102.0	F	6.71	209.0	18.0	10.0	140	36
102.5	F	6.74	210.0	18.0	10.0	140	36
103.0	F	6.77	211.0	18.0	10.0	140	36
103.5	F	6.80	212.0	18.0	10.0	140	36
104.0	F	6.83	213.0	18.0	10.0	140	36
104.5	F	6.86	214.0	18.0	10.0	140	



Product information

The parasol type T is available in over 40 sizes. Special sizes are available on request.

Dimensions / Technical Data:

Shade crowns: Solid aluminum in frame colour

Pole: Aluminum, Ø 80mm, wall thickness 3-4mm

Frame / pole optional: See color palette

Operating mode: Crank drive

Covering: Sunacryl® protects permanently and reliably against wind, weather, light and UV rays. It is dirt & water repellent

Shape of the parasol: square

Size: 4 x 4 meters

Fabric color: See color palette

Fabric finish:

The spun-dyed Sunacryl® fiber is color-fast and tear-resistant thanks to the special impregnation. The Sunacryl® fabric is therefore ideal for your parasol and is also easy to clean.

Available accessories:

Straight valance

Stand frame 100x100x10-20cm made of galvanized steel for inserting 4 concrete slabs 50x50x5cm with levelling screws (concrete slabs not included)

Ground socket complete with hinge for setting in concrete, 26cm long (minimum foundation size 50x50x80cm)

Galvanized steel plate, 50x50x1.2cm for screwing onto a load-bearing surface (concrete)

Steel plate 100x100cm for screwing onto a load-bearing surface (concrete) - custom-made, price on request

Polyester protective cover (effectively protects the fabric from soiling when the sunshade is closed)

Telescopic pole (makes it easier to put on and remove the protective cover)

Customized fabric printing is possible on request - e.g. your logo, name or freely selectable motifs.

Product description

UHLMANN Type T parasol 4 x 4 m - Square premium parasol made in Germany

The UHLMANN Type T parasol in the size 4 x 4 meters combines precise German engineering with timeless design and maximum functionality.

Its square format enables particularly efficient use of space - ideal for restaurants, hotels, terraces and well-tended garden areas where style and stability are equally important.

Product information

The powder-coated aluminum frame ensures maximum robustness and durability, while the high-quality Sunacryl® cover with its UV and weather resistance remains permanently color-intensive.

Thanks to the telescopic mechanism, the sunshade can be opened and closed effortlessly without having to move furniture - a decisive advantage in professional use.

With a generous shade area of over 16 m², the type T 4 x 4 m provides reliable protection even in intense sunlight.

Whether with ground sleeve, base plate or mobile stand frame - the mounting options are flexibly adaptable.

Wind canopy, valance, LED lighting or radiant heaters are optionally available to enhance comfort and adapt the sunshade perfectly to the respective usage situation.

Manufactured in genuine Made in Germany quality, the UHLMANN Type T 4 x 4 m stands for stability, precision and a harmonious overall appearance - a durable premium sunshade for demanding outdoor areas.

about Uhlmann

Uhlmann Parasols – German craftsmanship since 1992

Anyone who buys an Uhlmann parasol chooses genuine German quality workmanship. Since its founding in 1992, the company in Uttenweiler-Denting, Baden-Württemberg, has been manufacturing parasols for the highest demands – Made in Germany and crafted with passion down to the smallest detail.

Under the leadership of Christian Maar, robust, durable and elegantly shaped large parasols are created in the in-house manufactory, convincing through functionality, aesthetics and solidity. Around 40 employees work year-round to ensure that every product meets Uhlmann's high quality standards – from the selection of materials to final assembly.

Parasols Made in Germany – quality that impresses

Uhlmann parasols are produced exclusively in Germany. The canopies are sewn by experienced staff from high-quality fabrics, with reinforced hems and elegant colour effects that lend any outdoor area a particularly stylish ambience. Printing, custom solutions and winter service are also carried out in Germany – for a perfectly rounded result.

The range includes large parasols in round, square or rectangular form with surface areas from 4 m² to over 78 m². A wide choice of fabric colours, special coatings and practical accessories such as lighting, radiant heaters or ground fixings is available. Whether for gastronomy, hospitality, public spaces or private gardens – Uhlmann delivers bespoke solutions that set standards in design, stability and wind resistance.

Award-winning innovation – strong-wind parasol of the year

With its innovative strong-wind parasol, recognised as one of the “Solutions of the Year 2021” at the renowned “Gardens of the Year” competition, Uhlmann proves its expertise and innovative strength. The company is among Germany's leading parasol manufacturers and also supplies partners in the USA via the general importer J. R. Partners in California.

All About Your Purchase

Personal Offers Instead of Price Wars

Product information

Questions? Here Are the Answers.

Shipping the Way It Should Be

Bonus Program

Current Deals %














Our Showroom in Rüsselsheim

Real Projects, Real Quality












Materials, Care & Accessories

available options











Couleur mât & armature

 RAL 9016	 RAL 9001 (+235,00 €)	 RAL 7001 (+235,00 €)	 RAL 7004 (+235,00 €)	 RAL 7005 (+235,00 €)	 RAL 7012 (+235,00 €)
 RAL 7015 (+235,00 €)	 RAL 7016 (+235,00 €)	 RAL 7037 (+235,00 €)	 RAL 9005 (+235,00 €)	 RAL 9006 (+235,00 €)	 RAL 9022 (+235,00 €)
 RAL 1000 (+235,00 €)	 RAL 1001 (+235,00 €)	 RAL 1002 (+235,00 €)	 RAL 1003 (+235,00 €)	 RAL 1004 (+235,00 €)	 RAL 1005 (+235,00 €)









Product information

 RAL 1006 (+235,00 €)	 RAL 1007 (+235,00 €)	 RAL 1011 (+235,00 €)	 RAL 1012 (+235,00 €)	 RAL 1013 (+235,00 €)	 RAL 1014 (+235,00 €)
 RAL 1015 (+235,00 €)	 RAL 1016 (+235,00 €)	 RAL 1017 (+235,00 €)	 RAL 1018 (+235,00 €)	 RAL 1019 (+235,00 €)	 RAL 1020 (+235,00 €)
 RAL 1021 (+235,00 €)	 RAL 1023 (+235,00 €)	 RAL 1024 (+235,00 €)	 RAL 1027 (+235,00 €)	 RAL 1028 (+235,00 €)	 RAL 1032 (+235,00 €)
 RAL 1033 (+235,00 €)	 RAL 1034 (+235,00 €)	 RAL 1035 (+235,00 €)	 RAL 1036 (+235,00 €)	 RAL 1037 (+235,00 €)	 RAL 2000 (+235,00 €)
 RAL 2001 (+235,00 €)	 RAL 2002 (+235,00 €)	 RAL 2003 (+235,00 €)	 RAL 2004 (+235,00 €)	 RAL 2009 (+235,00 €)	 RAL 2010 (+235,00 €)


Product information

 RAL 2011 (+235,00 €)	 RAL 2012 (+235,00 €)	 RAL 2013 (+235,00 €)	 RAL 3000 (+235,00 €)	 RAL 3001 (+235,00 €)	 RAL 3002q (+235,00 €)
 RAL 3003 (+235,00 €)	 RAL 3004 (+235,00 €)	 RAL 3005 (+235,00 €)	 RAL 3007 (+235,00 €)	 RAL 3009 (+235,00 €)	 RAL 3011 (+235,00 €)
 RAL 3012 (+235,00 €)	 RAL 3013 (+235,00 €)	 RAL 3014 (+235,00 €)	 RAL 3015 (+235,00 €)	 RAL 3016 (+235,00 €)	 RAL 3017 (+235,00 €)
 RAL 3018 (+235,00 €)	 RAL 3020 (+235,00 €)	 RAL 3022 (+235,00 €)	 RAL 3027 (+235,00 €)	 RAL 3031 (+235,00 €)	 RAL 3032 (+235,00 €)
 RAL 3033 (+235,00 €)	 RAL 4002 (+235,00 €)	 RAL 4003 (+235,00 €)	 RAL 4004 (+235,00 €)	 RAL 4005 (+235,00 €)	 RAL 4006 (+235,00 €)

Product information

 RAL 4007 (+235,00 €)	 RAL 4008 (+235,00 €)	 RAL 4009 (+235,00 €)	 RAL 4010 (+235,00 €)	 RAL 4011 (+235,00 €)	 RAL 4012 (+235,00 €)
 RAL 5000 (+235,00 €)	 RAL 5002 (+235,00 €)	 RAL 5005 (+235,00 €)	 RAL 5012 (+235,00 €)	 RAL 5015 (+235,00 €)	 RAL 6001 (+235,00 €)
 RAL 6002 (+235,00 €)	 RAL 6005 (+235,00 €)	 RAL 6016 (+235,00 €)	 RAL 6018 (+235,00 €)	 RAL 6029 (+235,00 €)	 RAL 6033 (+235,00 €)
 RAL 7009 (+235,00 €)	 RAL 8000 (+235,00 €)	 RAL 8007 (+235,00 €)	 RAL 8012 (+235,00 €)		

Uhlmann fabric color


 White 0001	 Naturel 7133	 Ivoire 7548	 Blé 6318	 Dune 0681	 Pierre 6196
--	---	--	--	--	--

Product information


8203 RAL 7012 Ardoise 8203	6028 RAL 9011 Noir 6028	6688 RAL 6034 Turquoise 6688	6720 RAL 5024 Saphir 6720	0017 RAL 5017 Bleu 0017	7264 RAL 5002 Océan 7264
6022 RAL 5013 Marine 6022	U321 RAL 6025 Granny Chiné U321	U814 RAL 6020 Olive Chiné U814	6687 RAL 6005 Forêt 6687	0003 RAL 6029 Vert 0003	6316 RAL 1003 Jaune 6316
0018 RAL 2004 Orange 0018	0020 RAL 3020 Vermillon 0020	3914 RAL 3003 Rouge 3914	8206 RAL 3005 Bordeaux 8206	0613 RAL 8011 Marron 0613	

Flounce

Product information




without valance




with valance (+430,00 €)


PVC / acrylic cover



no




Polyester (+240,00 €)



Polyester + telescopic pole (+360,00 €)

Floor stand

Product information



without umbrella stand



hinged ground sleeve
(+475,00 €)



Stand frame (+830,00 €)



Base plate 50x50 cm (+750,00 €)